



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc., has assessed the Laboratory of:

Complete Inspection Specialists, Inc
6621 Cotter Avenue
Sterling Heights, MI 48314

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025: 2005

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated January 2009):

CMM Dimensional Measurement and Inspection of Models, Tooling, Fixtures and Parts
(As detailed in the supplement)

Such testing and/or calibration services shall only be offered at or from the address given above. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerzen
President/Operations Manager

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
26555 Evergreen, Suite 1325
Southfield, Michigan 48076

The validity of this certificate is mandated through ongoing surveillance.

Initial Accreditation Date:
July 23, 2003

Issue Date:
August 02, 2009

Expiration Date:
August 01, 2011

Accreditation No.:
59086

Certificate No.:
L09-79

Page No.:
Page 1 of 2



Certificate of Accreditation: Supplement

Complete Inspection Specialists, Inc
6621 Cotter Avenue
Sterling Heights, MI 48314

Accreditation is granted to this facility to perform the following testing:

| FIELD OF TEST | ITEMS, MATERIALS OR PRODUCTS TESTED | SPECIFIC TESTS OR PROPERTIES MEASURED | SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED | RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT |
|-------------------------|-------------------------------------|---------------------------------------|---|---|
| Dimensional Measurement | Fixtures, Parts, Models, and Molds | CMM #1 TPINCL2665124407 | X= 304.8 cm (120 in) Y= 152.4 cm (60 in) Z= 160.02 cm (63 in) | 0.02 mm |
| | | CMM #2 TPINCL756090126 | X= 304.8 cm (120 in) Y= 152.4 cm (60 in) Z= 160.02 cm (63 in) | 0.01 mm |